


**ORIGINAL SIDEWALK PROPOSAL ALONG STATESIDE DRIVE
PRESENTED AT MARCH 8 PUBLIC HEARING**




- EXISTING TREE TO REMAIN
- EXISTING TREE TO BE REMOVED DUE TO SIDEWALK CONSTRUCTION IMPACTS
- EXISTING TREE PREVIOUSLY MARKED FOR REMOVAL DUE TO POOR CONDITION, OR EXISTING STUMP/BOLE

REVISED SIDEWALK PROPOSAL ALONG STATESIDE DRIVE
NO PROPOSED CURB WORK - REVISED ALIGNMENT SHOWN IN GREEN



- EXISTING TREE TO REMAIN
- EXISTING TREE TO BE REMOVED DUE TO SIDEWALK CONSTRUCTION IMPACTS
- EXISTING TREE PREVIOUSLY MARKED FOR REMOVAL DUE TO POOR CONDITION, OR EXISTING STUMP/BOLE

REVISED SIDEWALK PROPOSAL ALONG STATESIDE DRIVE
CURB EXTENSIONS TO FURTHER AVOID TREE IMPACTS - REVISED ALIGNMENT SHOWN IN GREEN



- EXISTING TREE TO REMAIN
- EXISTING TREE TO BE REMOVED DUE TO SIDEWALK CONSTRUCTION IMPACTS
- EXISTING TREE PREVIOUSLY MARKED FOR REMOVAL DUE TO POOR CONDITION, OR EXISTING STUMP/BOLE